

Dated 26th May 1954.

To

The Firms dealing in Laboratory Equipment.

Enquiry No. 12420.

Subject:—Laboratory Equipment to the Mysore Engineering Research Station, K.R.S.

Gentlemen,

No. S.P.C. 10592-630. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Laboratory equipment to the Mysore Engineering Research Station, K.R.S." with the above enquiry number.

This enquiry will be closed on the 22nd June 1954.

## SCHEDULE

|  | Quantity. |  | Quantity           |
|--|-----------|--|--------------------|
| 1 Petrol Air Gas Generator, portable, electrically driven (100 C.ft. per hour) Overall dimensions 1'-9" diameter and 2 ft. high.   | 1         | 24 Safe Wall Fitting, with welded steel body and legs at back; the bolts shoot behind the front rebate and the door is hung on concealed pivots arranged to form a dog bolt at the back of the door. Door-plate 1/2" thick, External dimensions 9 3/4" wide x 41 5/8" Deep and 31 5/8" high. Suitable for storing platinum crucibles, etc. | 1                  |
| 2 Bunsen Burner, type B1 standard size, vide B.T.L. Catalogue.   | 4         | 25 Crucible Platinum—standard make of Johnson Matthey and Co., London, (JMC) with lid, size No. 7, diameter 3 5/8 cms., height 4.0 cms. capacity 80 ml. approximate weight being one ounce troy or 31.0 gms.   | 1                  |
| 3 Meker burners, capable of giving hot flame, adopted to carrying out fusions, diameter of top 1 1/4", Type B-9.   | 2         | 26 Basins—Platinum with spout, heavy bottom, size No. 5, diameter 75 mm., capacity 100 ml. approximate weight 1.2 ozs. Troy or 37 gms. Standard "JMC" make.  | 1                  |
| 4 Burners, Bunsen, Meker Pattern for high temperature work, diameter of flame 24 mm.   | 2         | 27 Filter Cone—Platinum, made in one piece, profusely perforated; angle 60°, diameter 19 mm. approximate weight 1.0 gramme.  | 2                  |
| 5 Burner, Bunsen, "Gallenkamp" using methylated spirit. Each burner supplied with complete reservoir five feet flexible metallic tubing, iron tripod, one each, coarse and five wiregauzes, pricker and instructions.  | 1         | 28 Triangles—Platinum, with twisted ends, to hold platinum crucible Capacity 90 ml., approximate weight 12 gms.  | 1                  |
| 6 One spare flexible tube, for above   | 1         | 29 Tongs—For Crucible, Stainless Steel, with hollow Platinum shoes, 16" length. The platinum shoes to weigh about two grammes.   | One pair or tongs. |
| 7 Spare prickers for above   | 1         | 30 Tongs—For Furnace, ward pattern, "Gallenkamp" overall length, including handle 28 in.   | 1                  |
| 8 Sinks, glazed fireclay, white inside and out with overflow and outlet at centre of one end; external dimensions 24" x 16" x 10"  | 2         | 31 Tongs—For Crucible 20" length, nickel plated designed for use with muffle furnaces. Made from 5/16" steel rod, heavily nickel plated.   | 1                  |
| 9 Cantilever brackets, metal, for mounting the above sink on wall or table.  | 2         | 32 Tongs, Fisher for Flasks—Stainless Steel  | 1                  |
| 10 Water taps, gunmetal, black bronzed finish, three-way, fitted with two taps, No. 234, 1 1/4" bore, and centre tap, 3/8" bore, screwed for 3/8" with plate for fixing on wall or end of reagent bottle shelves.  | 2         | 33 Asbestos board mats—metal bound, made of high quality asbestos and bound with metal on edges to prevent fraying, approximately 1/8" thick 6"x6"   | 1 doz.             |
| 11 Gas taps, gunmetal or black bronzed finish two-way, on pillar to screw to bench, lever handle, bore 1/8", screwed for 1/4" iron barrel.   | 4         | 34 Crangles—Thromel A, square Wire made from nickel chromium alloy containing no iron. Length of side, inside is 2".   | 1 Packet.          |
| 12 Fuming cupboard, 32" wide x 2'-3" deep x 3'-0" high to bench top level and 6"-9" overall, sash, ends and roofs glazed back of 1/8" thick asbestolite No. 151, Mounted on table having four legs and 1" thick asbestolite top No. 152, anti-acid treated. Fitted with three front control gas taps No. 220, with nozzles, No. 231. | 1         | 35 Retort Stand—Rectangular base, enamelled cast iron with screw in plated steel rods, size of base, 7"x6", size of rod, 24"x4". No. 2.  | 6                  |
| 13 Fan, direct coupled to A.C., single phase, 50 cycles motor, 250 volts, maximum, with anodised and enamelled impellers, No. 9.   | 1         | 36 Tripod Stand—Cast iron, with circular top and steel legs, diameter at top 6 1/2" and height 10".  | 2                  |
| 14 Balance, heavy duty, with gilt finished base and brass pans, capacity 2 Kg.   | 1         | 37 Burette stand or Holder for two burettes—Hard Wood base, with white technico top 11 1/2"x10" and 21"x4" plated rod, suitable for holder No. 9455, without holder.   | 2                  |
| 15 "Gallenkamp" water still, heated electrically for wall mounting with 2,000 watt immersion heater, fitted with safety device, output six pints distilled water per hour, for use on 220/230 volts, A.C.  | 1         | 38 "Gallenkamp" Burette holder—for two burettes providing an instantaneous grip and release.   | 2                  |
| 16 Spare heating element for above with safety device.   | 2         | 39 Mortar and Pestle—agate, highly polished, external diameter 70 mm. internal diameter 60 mm. with mahogany handle.   | 1                  |
| 17 "Gallenkamp" Water bath, heated electrically, 10 1/2" x 8 1/2" x 4" high, with built in constant level arrangement with five holes, 4", 3 1/2" 2 1/2" and 1 1/2" (two) diameter, each fitted with a set of rings, 750 watts, 230 voltage, A.C.  | 1         | 40 Mortars, heavy iron—Bell shape, complete with pestle, size Nos. 4. capacity 3 pints. outside diameter 9".   | 1                  |
| 18 Spare Heating element for above   | 1         | 41 Mortars—Heavy iron, bowl shape, machined inside, complete with pestle, diameter inside 6", capacity 3 pints.  | 1                  |
| 19 "Gallen Kamp" Hot Plate, electrically heated, 16" x 5 1/2" high, total loading, 2000 watts, with three heat control for use on 220/230 volts, A.C.  | 1         | 42 Mortar and Pestle—"M" brand porcelain, with spout, glazed inside and out, diameter 15 cms, capacity 450 ml. size No. 4.   | 2                  |
| 20 Hot Plates, electrically heated, cast iron flat ground tops, polished, fitted with three heat switch, size 17" x 9" loading on low temperature 300 watts.   | 1         | 43 Pestle, size No. 8.   | 2                  |
| 21 Do high do 1,200 watts.   | 1         | 44 Retort stand ring—Malleable cast iron above enamelled with lacquered brass screws, diameter 1 1/2", diameter 2 1/2".  | 4                  |
| 22 Spare element sets for above  | 1         | 45 "Technico"—Retort stand clamp, Universal enabling holding all articles from 1/16" to 3" diameter to be securely clamped.  | 6                  |
| 23 Hot plate, (Radiant Heater), Vitreosil, fused silica designed to enable heating to be carried out from overhead. The element is totally enclosed and completely protected from any acid vapours, diameter of heating surface 7", Loading, 700 watts, 220/230 volts A.C.   | 1         | 46 "Technico" boss head—boss head for above  | 6                  |
|  |           | 47 Spare rubbers for burette holder  | 1 doz.             |
|  |           | 48 Spare springs—for burette holder (two required per holder)  | 1 doz.             |
|  |           | 49 Standard Test sieve, fine mesh, (Woven and not twilled) 6" diameter, polished brass frame, to B.S. 410 Table 1.   | 1                  |
|  |           | Mesh 100   | 1                  |
|  |           | Mesh 170   | 1                  |
|  |           | 50 Cover and Receiver for the above, polished brass, one set for each.   | 2                  |
|  |           | 51 Stainless, steel, spatula, 10 cms. blade.   | 1                  |
|  |           | 52 Spatula, pure nickel, double ended, with spoon one end, and the other end flat, heavy weight, 16 cms. long.   | 2                  |
|  |           | 53 Filter Pumps, nickel plated brass   | 2                  |
|  |           | 54 Filter pump, glass, University Pattern  | 2                  |
|  |           | 55 General purpose laboratory—thermometer—Thermometer, solid, stem, 5-7 mm. diameter, mercury in glass, filled with inert gas, overall length 300 mm. divided into 1°C, No. 7, made to B.S. 1704. Scales from 0 to 365°C.  | 2                  |
|  |           | 56 Evaporating basins, Royal Worcester porcelain, flat form with lip, glossed inside and out, diameter, 147 mm. capacity, 400 ml. No. 6.   | 1 doz.             |
|  |           | 57 Evaporating basins, nickel, flat form without spout, diameter 19 mm depth 19 mm.  | 2                  |
|  |           | 58 Casseroles, Royal Worcester Porcelain, with lip and handle, diameter 115 mm. capacity 400 ml., No. 4.   | 6                  |
|  |           | 59 Evaporating or Crystallising basins Pyrex glass, flat bottom, with spout, diameter 105 mm. height 55 mm. sides being vertical and not inclined (from that of dp-1643).  | 2 doz.             |
|  |           | 60 Crucible, Royal Worcester Porcelain glazed inside and out:—Size No. 0 Form A; capacity 19 ml., dia. 43 mm. Size No. 1; Form A; Capacity 28 ml., dia. 49 mm.   | 1 doz.             |
|  |           | 61 Cover for the above—size No. 0  | 1                  |
|  |           | size No. 1   | 1                  |
|  |           | 62 Crucibles, translucent, fused silica, glazed, platinum shape, tall form, capacity 90 ml. top diameter 43 mm., height 80 mm.   | 1                  |

|   | Quantity. |
|---|-----------|
| 63 Cover for the above Crucible ...   | 1 doz.    |
| 64 Porcelain tile, square, glazed on both sides, size 12.5 cms.   | 1         |
| 65 Tray for acid bottles "M" brand porcelain, diameter inside bottom 8 cms.   | 6         |
| 66 Buchner funnel—"M" brand porcelain, with fixed perforated plate, external diameter 80 mm. to take papers diameter 70 mm.   | 1         |
| 67 Conical Flasks—Erlenmeyer, Pyrex brand, British Resistance Glass, narrow mouth, capacity 500 ml.   | 6         |
| Do do do 750 "  | 2         |
| Do do do 250 "  | 1 doz.    |
| Do do do 150 "  | 2         |
| 68 Filter Flasks—British Resistance glass, pyrex brand, heavy wall with side tube, capacity 250 ml.   | 2         |
| Do do do 500 "  | 2         |
| 69 Funnels—Pyrex glass, precision pressed with a long stem and grooved internally for quick filtering, and sides inclined at correct angle of 60°, diameter 7.5 cms.  | 24        |
| 70 Funnels—Pyrex glass, with length of stem same as diameter of funnel and sides inclined at 60°, diameter 7.5 cms.   | 2         |
| 71 Flasks—distillation, Pyrex brand, British resistance glass, with side arm, capacity 1,000 ml.  | 2         |
| 72 Liebig's—condenser, Soda glass, efficient narrow jacket with rubber connections made to B.L.W.A. Specifications, T.C.D. No. 101, length of jacket 60 cms., diameter of jacket 19-20 mm.                  | 1         |
| 73 Condensers, Davis, double surface pattern, resistance glass made to B.L.W.A. specification T.C.D. 106, length of jacket 90 cms. diameter of jacket 43-45 mm., approximate condensing surface 45 sq. cms. | 1         |
| 74 Receiver—Conical flask, Erlenmeyer, British Resistance glass, "Eysil" narrow mouth, capacity 750 ml.   | 1         |
| Do do do 1,000 "  | 1         |
| 75 Adapter for Leibig's Condenser, bent, diameter 20 mm.  | 2         |
| 76 Volumetric Flasks—with ground in stopper grade A, "Technico", capacity 1,000 ml.   | 4         |
| Do do do 500 "  | 2         |
| Do do do 100 "  | 2         |
| Do do do 50 "   | 2         |
| 77 Watch glasses, thin clear, glass edges ground diameter 7.5 cms.  | 1 doz.    |
| Do do do 9.0 "  | 1 "       |
| Do do do 12.5 "   | 1 "       |
| Do do do 15.0 "   | 1 "       |
| 78 Desiccator—Pyrex brand glass, B.L.W.A. pattern, diameter 25 cms. with cover with interchangeable ground glass stop cock and acid container specially designed for vacuum use.                            | 1         |
| 79 Porcelain plate for the above desiccator ...   | 1         |
| 80 Desiccator with zinc disc, Schenck's with cover, with knob; internal diameter 12.5 cms.  | 1         |
| Do do do 15.0 "   | 1         |
| 81 Desiccator plates—porcelain, for the above with three feet holes of 30 cms. diameter of plate 115 cms.   | 1         |
| Do do do 140 "  | 1         |
| 82 "Technico" Graduated Cylinder, without spout, Capacity 950 ml. in 2 ml.  | 2         |
| Do do do 100 " in 1 "   | 2         |
| Do do do 50 " in 1 "  | 2         |
| Do do do 25 " in 0.5 "  | 2         |
| 83 Beakers—British Resistance glass, pyrex brand, squat form with spout, capacity 2,000 ml.   | 2         |
| Do do do 1,000 "  | 4         |
| Do do do 800 "  | 4         |
| Do do do 600 "  | 12        |
| Do do do 500 "  | 12        |
| Do do do 400 "  | 12        |
| Do do do 250 "  | 12        |
| Do do do 100 "  | 2         |
| Do do do 50 "   | 2         |
| 84 Beakers—British Resistance glass, pyrex, tall form, with spout, capacity 400 ml.   | 12        |
| Do do do 250 "  | 12        |
| 85 Weighing bottles with ground in stopper, height 50 mm. diameter 25 mm.   | 12        |
| 86 Bottles narrow mouth, white glass with patent dust proof stoppers; bottles and stoppers numbered, capacity 1,000 ml.   | 12        |
| Do do do 500 "  | 2 doz.    |
| Do do do 850 "  | 1 "       |
| Do do do 250 "  | 1 "       |
| 87 Bottles washing, pyrex glass, capacity 500 ml.   | 2         |
| Do do do 1,000 "  | 2         |
| 88 Wash bottles, resistance glass, pyrex brand, with rubber cork and bent tubes, capacity 500 ml.   | 6         |
| Do do do 1,000 "  | 6         |
| 89 Bottles, washing, pyrex, wicker covered, similar to 895, but supplied with a wicker covered neck capacity 500 ml.  | 2         |
| Do do do 1,000 "  | 2         |
| 90 Bottles—narrow mouth, unstoppered clear glass free from lead, with corks to fit, capacity 5 litres   | 2         |
| 91 Bottles, pyrex brand, narrow mouth, stoppered, shape as No. 2,269, capacity 5,000 ml.  | 2         |
| 92 Bottles dropping—"T.A." Pattern with ground inslot stopper, capacity 100 ml.   | 6         |
| 93 "Technico" Automatic Pipettes, complete with over flow bulb fitted with rubber cork to delivery 25 ml. class A.  | 4         |
| 94 "Technico" bulb pipette, grade A, to delivery 25 ml.   | 2         |
| 95 "Technico" Burette grade A with straight stopcock, capacity 50 ml. sub-divided in 1/10 ml.   | 4         |
| 96 Burette "Technico" grade B with automatic zero adjustment fitted on 2 litre bottle, with standard joint, B.29, Burette, capacity 50 ml. sub divided in 1/10 ml.  | 2         |

|   | Quantity |
|---|----------|
| 97 Burette, Grade B "Technico" with double bored stop cock and automatic zero with shell back blue line tubing, capacity 25 ml. sub-divided in 1/10 ml.                           | 4        |
| 98 Aspirator bottles, with monckled outlet fitted with ground in glass stopcock; pyrex brand glass capacity 2 litres.   | 2        |
| 99 Cork bores, of brass tube, nickel plated, with handle to each, each set with ejector rod. Set of 1 to 6, size range 4 to 10 mm.  | 1        |
| 100 Scoops aluminium, approximate length, 10 cms  | 2        |
| 101 Tared counter weight, for the above (about 20 grammes weight).  | 2        |
| 102 Fisher Laboratory Utility steel adjustable in height to suit individual needs of workers at low tables or higher benches.   | 1        |
| 103 Cement Mould brush, wire, for cleaning moulds, etc. Made of wood with stiff brass wire bristles, one inch long. Overall length 10", bristle portion is 5/8" wide and 5" long. | 1        |

N. B.—1 Quotations with firm prices are preferred.  
2 Sales Tax, if any, should be quoted separately.  
3 Quotations may be sent in duplicate.  
4 No enhancement in prices will be allowed after the acceptance of the tender.  
5 Quotations will be opened at 2 P.M. on the next working day after the closing date.

1756

Dated 23th May 1954.

To

The firms dealing in Metallic Flexible Copper Hose Pipes.

Enquiry No. 12433.

Subject.—Supply of Metallic Flexible Copper Hose Pipes to the Government Electric Factory, Bangalore.

Gentlemen,

No. S.P.C. 11479-98. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for supply of Metallic Flexible Copper Hose Pipes to the Government Electric Factory, Bangalore" with the above enquiry number.

This enquiry will be closed on the 23th June 1954.

## SCHEDULE

| Item No. | Description of Material offered                             | Quantity     | Price quoted F.O.R. | Time of delivery. |
|----------|---|--------------|---------------------|-------------------|
| 1.       | 1" I.D. $\times$ 1.3/16" O.D. Metallic Flexible Copper Hose | 25 ft. each. | .....               | .....             |
| 2.       | Do Do mer Oil   | 75 ft. each. | .....               | .....             |
|          |   | 2 lengths.   | .....               | .....             |

- N.B.—1. Quotations with firm prices and for delivery F.O.R. Bangalore are preferred.  
2. Supply from ready stocks preferred.  
3. Sales tax if any should be specified separately.  
4. Best English or any other equally good make required to be quoted for, with details of make etc., preferred.  
5. Samples should accompany the quotation failing which quotations will not be considered.  
6. Quotations should hold good for a period of 45 days from the closing date.  
7. Quotations should be submitted in duplicate.  
8. No enhancement of price will be allowed after the acceptance of the tender.  
9. Whether your firm has been registered in the S.P.C. Office as per new rules, may be mentioned.  
10. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

1804

To

Dated 7th May 1954.

Messrs.—

1. Lindner & Co., Chickpet, Bangalore City.
2. Swastik Agencies, Narasimharaja Road, Bangalore-2.

Local Indent No. 14403.

Enquiry No. 12139.

**Subject.—**Re: Supply of Dupligrath Flat-bed Machines for the Mysore Government Departments during the year 1954-55.

Gentlemen,

No. S.P.C. 7025-26. With reference to your quotation received in response to the above Enquiry, I write to request you to be so good as to enter order for the Machine described in the undermentioned schedule at prices specified therein and arrange to make supplies on indents from such of the Departmental Officers as may be required by them from time to time, all indents being complied with within a fortnight from the date of receipt.

The price mentioned should hold good for a period of one year from this date.

The Stores Purchase Committee do not bind themselves to purchase any definite number of machines during the contract period.

The machines to be supplied should be accompanied by the usual guarantee of satisfactory service for a period of two years from the date of supply.

Failure to make supply, whether of a portion of the material or the entire quantity of the material as per the terms of contract, or non-performance or non-supply in time or regularly, or supplying materials which does not conform to the specifications or quality prescribed, or the sample approved or which is found defective in any other way or for breach of any of the conditions stipulated, will entail cancellation of a portion of the order or the order in toto at the discretion of the President, Stores Purchase Committee, the material to the extent necessary in either of these circumstances being purchased from other sources, debiting the extra cost, if any, incurred in either of the transactions, to you. Besides, the Stores Purchase Committee reserve also the right to levy a sum equal to 3 per cent of the value of the order as liquidated damages.

You should now arrange to enter into an agreement with the undersigned on a Mysore Government Stamp Paper of the value of Ten Annas undertaking to abide by the above conditions and to deposit a sum of Rs. 100 in the Reserve Bank of India, Bangalore, as security amount, within a week from this date failing which the order will be cancelled.

The bills of cost should be sent in duplicate to the Indenting Officers who will arrange payment.

Please acknowledge receipt of this communication.

Local indent No. 14403.

Schedule of Order Placed with M/s. Lindner & Co., Chickpet, Bangalore City.

1. Dupligrath All-Metal Flat-bed Machine manufactured by M/s. Shourie Bros., with a free supply of Accessories worth over Rs. 15 with each machine, f.c. size with black ripple finish painted covering containing one Impression roller and one Oil can for spreading oil over the bed, encased in a portable size metal box.

Free accessories to go with the above machine:—

- 25 sheets Master sheets
- 25 " carbon paper
- $\frac{1}{2}$  lb. Developing solution
- 1 metal plate
- Dupligrath Oil Spreader Can complete with felts—1.

Local Indent No. 14403.

Schedule of order placed with M/s. Swastik Agencies, Post Box No. 147, Sri Narasimharaja Road, Bangalore-2.

1. "REVATHI" best Indian make At Rs. 78 per flat bed cyclostyle machines machine F.O.R. suitable both for typewriting and any Railway Station in Mysore State, Sales-Tax extra.

- 12 stencils
- 1 tube ink
- 1 stylus pen
- 1 rubber roller with handle
- 1 inking plate and instruction sheet all housed in a fine finished good rosewood box. (The wood used for the box should be good).

1655

Dated 25th May 1954.

NOTICE.

Enquiry No. 12309.

**Subject:—**Supply of Varnished Cambric Bias Cut Yellow Colour Tape Rolls for the Government Electric Factory, Bangalore.

**Reference:—**This Office No. 4196-225, dated 23rd April 1954.

No. S.P.C. 10363-92. With reference to the subject mentioned above, it may be noted that the closing date of the above enquiry is extended up to 10th June 1954 from 25th May 1954 and no further extension of time will be granted.

1656

Dated 25th May 1954.

To

The firms dealing in Treated Twine.

Enquiry No. 12322.

**Subject:—**Supply of Treated Twine for Electrical Binding Purposes to the Government Electric Factory, Bangalore.

**Reference:—**This Office No. 1677-86, dated 10th April 1954.

Gentlemen,

No. S. P. C. 10392-420. With reference to the subject mentioned above, it may be noted that the closing date of the above enquiry is extended up to 10th June 1954 from 29th April 1954 and no further extension of time will be granted.

1657

Dated 25th May 1954.

NOTICE.

Enquiry No. 12308.

**Subject:—**Supply of Yellow Varnish Treated Paper for the Government Electric Factory, Bangalore.

**Reference:—**This Office No. 4234-63, dated 23rd April 1954.

No. S.P.C. 10421-50. With reference to the subject mentioned above, it may be noted that the closing date of the above enquiry is extended up to 16th June 1954 from 24th May 1954 and no further extension of time will be allowed.

1656 (a)

NOTICE.

Dated 19th May 1954.

Enquiry No. 12375.

**Subject:—**G. I. Pipes for B. R. Project.

No. S.P.C. 5565-90. Sealed tenders will be received by the Secretary, Stores Purchase Committee, on or before 21st June 1954, for the supply of G. I. Pipes required for Bhadra Reservoir Project.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 20 which is the price fixed for a set of forms and which is not refundable.

Cheques, Postage Stamps and Postal Orders will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.  
1657 (a)

Dated 22nd May 1954.

To

Messrs.

1. The Manager, Badanaval Spinning Circle, Badanaval.
2. The Secretary, Mysore Provincial Cotton Handloom Weavers' Co-operative Society, Ltd., No. N. 78, Balepet Square, Bangalore-2.

Local Indent No. 14436.

Supply of Clothing Materials required for the Inferior Establishment of Government Offices during 1954-55.

Gentlemen,

No. S.P.C. 10059—60. I am directed to state that the Stores Purchase Committee have been pleased to approve of the cloths as noted in the undermentioned schedule at the prices indicated against the items and to request you to be so good as to arrange for supply of cloths in the quantities and in shades required by the several departments of Government for a period of one year from this date during which period the rates now accepted should hold good. All indents that may be received from the indenting officers of the several departments should be complied with within a month from the date of their receipt.

The receipt of each indent should be acknowledged immediately and if it is not received by the indenting officer within two weeks, the indent will be treated as cancelled automatically.

The cloth to be supplied under this contract should be of durable quality and should conform to the quality, shade, etc., of the approved samples in all respects and that failure to promptly comply with the indents or to make the supply according to approved samples will entail cancellation of the order. Rejected supplies will have to be replaced free of cost.

You should submit monthly returns in Form 'A' and 'B' attached to the order.

Bill of cost for supplies made may be sent to the indenting officers direct for arranging payment.

The receipt of this communication may be kindly acknowledged per return.

#### FORM "C"

Local Indent No. ....

Statement for the month of.....

From the Indenting Officers.....

| Serial Number | Indenting officer with designation | Nature of articles | Quantity ordered and date | Quantity received with date and rate | emarks |
|---------------|------------------------------------|--------------------|---------------------------|--------------------------------------|--------|
| 1             | 2                                  | 3                  | 4                         | 5                                    | 6      |

#### SCHEDULE OF ORDER PLACED WITH

1. Messrs. The Manager, Badanaval Spinning Circle, Badanaval.

(Quotation dated 4th May 1954)

|  | Rs. a. p.       |
|--|-----------------|
| 1. Coating, White, Double thread, 27" ...                    | 1 12 0 per yard |
| 2. Coating, Double Thread, Khaki, 27" ...                    | 2 4 0 do        |
| 3. Do Navy Blue, 27" ...                                     | 2 4 0 do        |
| 4. Single Thread White Khadi 36" (Ordinary) ...              | 1 8 0 do        |
| 5. Turban plain 20"x10 cubits white ...                      | 5 0 0 each      |
| 6. Turban Khaki or Alwan 20"x10 cubits ...                   | 5 12 0 do       |
| 7. Turban bleached 1" lace full length 20"x10 cubits, 15 ... | 8 0 do          |
| 8. Turban bleached 1" lace full length 20"x10 cubits, 12 ... | 8 0 do          |

N.B.—1. The above rates are for free delivery at the nearest Railway Station within the State, with a rebate of Annas Three (0-3-0) per rupee on the accepted rates.

#### SCHEDULE OF ORDER PLACED WITH

The Secretary, Mysore Provincial Cotton Handloom Weavers' Co-operative Society, Ltd., No. N. 78, Balepet Square, Bangalore-2.

(Your quotation dated 17th April 1954).

|   | Rs. a. p.      |
|---|----------------|
| 1. Coating, white double thread 27" ...                   | 1 4 0 per yard |
| 2. Turban cloth, white 20" in pieces of 5 yards each. ... | 4 0 0 each     |
| 3. Turban white 1" lace 10 cubits ...                     | 12 0 0         |
| 4. Do do ...  | 10 0 0 each    |

N.B.—The above rates are for delivery free on rails at the nearest Railway Station in the State, with a rebate of 0-1-0 per rupee on the accepted rates.

1659

Dated 26th May 1954.

To

The Firms dealing in the Lorry Body Construction.

Enquiry No. 12416.

Construction of Lorry Body required in the Public Works Department, Bangalore Division.

Gentlemen,

No. S.P.C. 10501 20. Please intimate on or before 9th June 1954, your best price and the time you require for the reconstruction of Lorry Body for a Chassis, as per specifications stated in the attached schedule, subject to the conditions noted below.—

1. Quotations received after the due date will not be considered under any circumstances.
2. A sum of Rs. 50 should be remitted to the Reserve Bank of India, Bangalore, to the Credit of the Personal Deposit Account of the Secretary, Stores Purchase Committee, and the challan should be enclosed to the quotation. The bank cheques and drafts will not be considered under any circumstances.
3. Successful tenderer should deposit a cash security of 5 per cent of the value of the order and execute an agreement with the undersigned, on a Mysore Government Stamp Paper of value of 10 annas for the fulfilment of the contract.
4. Quotations with firm prices are preferred and no enhancement in prices after the acceptance of tender will be allowed under any circumstances.
5. Withdrawal from the quotation after it is accepted or failure to execute the work within the specified period or according to specifications will entail cancellation of the order and the work being got done elsewhere at your expenses in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.
6. It should be specifically stated whether the firm has been registered in this office under the new rules.
7. Quotations should be submitted in duplicate.
8. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.
9. The quotation should be superscribed "Quotations for the construction of the Lorry Body" with the above enquiry number.

#### SCHEDULE.

Specifications for Body Building.—Constructing body with Honne or Nandi Wood with 12 feet length, 7 feet width and 2½ feet height with 1½" thick planks for platform and 1" thick planks around with 2"x2" angle iron brackets fixed with bolts and nuts with collapsible tail door with 2"x2" angle iron brackets and brazings with hooding arrangement hings with ½" rod. Platform to be covered with 1/16" M.S. plate and side body with 20 gauge plain sheets (inner).

Horizontal beams of Mathi or Nandi Wood over the chassis 12"x6"x4" on two and fixed with 'J' clamps and plat iron brackets of ½" plate of 2" apart. Cross beams of Mathi or Nandi wood 7"x5"x3" 2" apart over the horizontal beam with 1½"x1½"x1½" angle iron brackets fixed on both end to each cross beam body and horizontal beam with carriage bolts and nuts.



**Driver Cabin.**—Constructing cabin with Mathi or Nandi 1" thick planks covering at the top by 20 gauge plain sheet with two doors with good locking arrangements and 2" hinges, etc., suitable for 3 seaters.

Good cushions have to be provided for seating back and two sides.

Good curtains around to be provided.

The entire body has to be painted with two coats chocolate paint and inside the driver cabin with light green.

Good protection has also to be provided over the wind screen glass.

One good Name Board has to be provided at the top of the Driver's Cabin.

One good Battery Box has also to be prepared and fixed as required by the Departmental Officers.

The wood, etc., should be well seasoned and only wood approved by the Departmental Officers have to be used. 1660

Dated 26th May 1954.

To

The Firms dealing in Automobile sp are parts.

Enquiry No. 12417.

**Subject:**—Supply of spares for Studebaker Diesel Vehicles in the Mysore Government Road Transport Department.

Gentlemen,

No. S.P.C. 10484-300. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for supply of spares for Studebaker Diesel Vehicles in the Mysore Government Road Transport Department" with the above enquiry number.

This enquiry will be closed on the 21st June 1954.

#### SCHEDULE.

| Description of material offered | Price quoted F.O.R. Bangalore. | Time of Delivery   |
|---------------------------------|--------------------------------|--|
| As per list printed below       |                                | Supplies should be effected as and when required throughout the period of one year |

Spares for Studebaker diesel passenger chassis.—

| Item No. | Part No.   | Description                   | Qty.    |
|----------|------------|-------------------------------|---------|
| 1        | 681066     | Plate W/Facing Driven         | 4       |
| 2        | 678010     | Facing Driven plate           | 10 pair |
| 3        | 664076     | Cover w/pressure plate        | 2       |
| 4        | 679 00     | Spring Driving cover          | 4       |
| 5        | 195402     | Bearing and collar            | 10      |
| 6        | 685167     | Shaft and levers              | 4       |
| 7        | 527278     | Retainer and W/grease seal    | 4       |
| 8        | 674068     | Pedal clutch                  | 1       |
| 9        | 674083     | Spring pedal pull back        | 8       |
| 10       | 678023     | Shaft pedal                   | 4       |
| 11       | 527404     | Bearing and retainer kit      | 4       |
| 12       | 199220     | Sleeve operating shaft        | 4       |
| 13       | 610168     | Bearing pilot                 | 8       |
| 14       | 197606     | Bushing, housing bronze       | 10      |
| 15       | 676213     | Core Radiator                 | 1       |
| 16       | 518369     | Cap Radiator filler           | 5       |
| 17       | 678078     | Cool radiator drain           | 6       |
| 18       | 274874     | Bumper radiator core supt.    | 20      |
| 19       | 678937     | Shaft and gears main trans    | 2       |
| 20       | 678947     | Roller main trans, shaft      | 2 sets  |
| 21       | 678941     | Bearing main trans shaft rear | 2       |
| 22       | 678936     | Counter, shaft trans          | 2       |
| 23       | 678925     | Gear cluster                  | 1       |
| 24       | 678984     | Gear w/bushing reverse        | 1       |
| 25       | 678931     | Pinion main drive             | 2       |
| 26       | 678 08 x 1 | Shaft and joint               | 2       |
| 27       | 674982 x 5 | Shaft and joints rear         | 1       |
| 28       | 674163     | Yoke universal joint          | 2       |

| Item No. | Part No. | Description                            | Qty.         |
|----------|----------|--|--------------|
| 29       | 674166   | Cross and Brg unit                     | 6            |
| 30       | 678652   | Support prop shaft                     | 4            |
| 31       | 678651   | Cushion shaft support                  | 10           |
| 32       | 676075   | Shaft R/R                              | 2            |
| 33       | 680728   | Cup diff brg                           | 8            |
| 34       | 686545   | Cone and roller diff brg               | 8            |
| 35       | 664181   | Gear diff side bavel                   | 2            |
| 36       | 666183   | Pinion diff                            | 8            |
| 37       | 666182   | Thrust washer                          | 4            |
| 38       | 667299   | Cross diff pinion                      | 1            |
| 39       | 664172   | Gear and pinion                        | 1            |
| 40       | 6-6153   | Cand roller                            | 4            |
| 41       | 680-45   | Lining set F and R                     | 10 sets each |
| 42       | 6-6322   | Spring fit brake shoe retu             | 8            |
| 43       | 6-6538   | Spring rear brake shoe return          | 24           |
| 44       | 680511   | Pin rear brk shoe anchor               | 16           |
| 45       | 6-6-073  | Cylinder comp Rt. frt w/ brk           | 2            |
| 46       | 666074   | Cylinder comp Lt. " "                  | 2            |
| 47       | 680615   | Cylinder comp Rear wheel break         | 8            |
| 48       | 8-887    | Cylinder repair kit                    | 10           |
| 49       | 681105   | Cylinder repair kit                    | 20           |
| 50       | 185015   | Hose brake shoe flexible               | 12           |
| 51       | 67-808   | Tee front brake pipe                   | 4            |
| 52       | 185018   | Tee rear brk pipe                      | 4            |
| 53       | 676033   | Union brk pipe                         | 4            |
| 54       | 666009   | Knuckle Rt strg                        | 4            |
| 55       | 666010   | Knuckle Lt strg                        | 4            |
| 56       | 674776   | Arm right strg knuckle                 | 4            |
| 57       | 674776   | Arm left strg knuckle                  | 4            |
| 58       | 674586   | King pin kit                           | 4            |
| 59       | 678594   | Rod w/clamp strg knuckle tie           | 1            |
| 60       | 678592   | End camp Rt                            | 4            |
| 61       | 678593   | End camp Lt                            | 4            |
| 62       | 680212   | Bushing housing                        | 12           |
| 63       | 678147   | Post and Cam                           | 1            |
| 64       | 470-10   | Ball post and cam brg                  | 96           |
| 65       | 190318   | Cup post and Cam brgs                  | 8            |
| 66       | 678016   | Shaft cam lever                        | 8            |
| 67       | 678840   | Arm strg. gear pit man                 | 4            |
| 68       | 679724   | Rod Assy. strg. rooch                  | 10           |
| 69       | 673216   | Stud wheel hub front and rear          | 40           |
| 70       | 673261   | Nut hub stud                           | 40           |
| 71       | 665169   | Cup inner front wheel                  | 8            |
| 72       | 510278   | Cup outer front wheel                  | 8            |
| 73       | 665170   | Cone and rollers inner front wheel brg | 8            |
| 74       | 665168   | Cone and rollers outer front wheel brg | 6            |
| 75       | 186391   | Nut front wheel brg lock               | 10           |
| 76       | 680728   | Cup inner rear                         | 8            |
| 77       | 686348   | Cup outer                              | 8            |
| 78       | 6-6346   | Cone and rollers inner                 | 8            |
| 79       | 634304   | Cone and rollers outer                 | 8            |
| 80       | 682604   | Washer and retainer                    | 20           |
| 81       | 666005   | Washer front wheel felt                | 20           |
| 82       | 665620   | Washer and retainer inner              | 20           |
| 83       | 665615   | Washer and retainer outer              | 20           |
| 84       | 677254   | Hanger rear inner half                 | 2            |
| 85       | 677259   | Hanger and pin rear outer half         | 10           |
| 86       | 673978   | Hanger front inner half                | 2            |
| 87       | 677058   | Front spring Assy                      | 2            |
| 88       | 677250   | Shackle end stud front spring          | 10           |
| 89       | 677251   | Shackle front spring                   | 10           |
| 90       | 677642x4 | Clip front spring                      | 12           |
| 91       | 194041   | Nut box                                | 12           |
| 92       | 673887   | Spring main rear                       | 2            |
| 93       | 677223   | Bushing front                          | 24           |
| 94       | 677645x3 | Spring rear                            | 12           |
| 95       | 677272   | Clip spring                            | 72           |
| 96       | 677925   | Bushing spring rubber front            | 12           |
| 97       | 678953   | Main leaf front spring                 | 12           |
| 98       | 678993   | Main leaf rear spring                  | 12           |
| 99       | 287628   | Plate spring clip                      | 2            |
| 100      | 274971   | Bumper hood top on grill               | 20           |
| 101      | 652502   | Bumper hood top on core Suppt.         | 20           |
| 102      | 676661   | Plate Assy hood lock                   | 4            |
| 103      | 676180x1 | Gage Gasoline                          | 4            |
| 104      | 676181x1 | Shaft w/core                           | 2            |
| 105      | 675934   | Shaft w/core                           | 2            |
| 106      | 675935   | Core                                   | 2            |
| 107      | 677156   | Shock absorber fit                     | 2            |
| 108      | 677157   | Shock absorber Lt rear                 | 2            |

- N.B.—1. Quotations with firm prices will be preferred.  
2. Sales tax should be quoted separately.  
3. No enhancement of prices will be allowed after the acceptance of the tender.  
4. Quotations may be sent in duplicate.  
5. Whether your firm has been registered in the Stores Purchase Committee Office as per new rules, may be mentioned.  
6. The price quoted should hold good for a period of 3 months from the date of opening the tenders, failing which such quotations will not be considered.  
7. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

1661

Dated 26th May 1954.

#### NOTICE.

Enquiry No. 12390.

**Subject.**—Mobile Crane required for Bhadra Reservoir Project.

No. S.P.C. 10322-63. Sealed tenders will be received by the Secretary, Stores Purchase Committee, on or before 29th June 1954, for the supply of Mobile Crane required for Bhadra Reservoir Project.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 20 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.  
1753(a)

Dated 25th May 1954.

To

The Firms dealing in Pump sets.

Enquiry No. 12418.

Subject.—Petrol pumps required for Chunchankatte Bridge works.

Gentlemen,

No. S.P.C. 10454.83. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Petrol pumps required for Chunchankatte Bridge Works" with the above enquiry number.

This enquiry will be closed on the 15th June 1954.

#### SCHEDULE.

- |   |  |                         |
|---|--|-------------------------|
| 1 | Self Priming Centrifugal pump 2" x 2" with 3 to 4 H.P. Petrol engine direct coupled and to give an out-put of 5,000 gallons per hour for 50' total head, and the machine and pump mounted on suitable trolley. | F.O.R., K.R. Nagar. One |
| 2 | Centrifugal pump 3" x 2 1/2" with 3-5 H.P. Diesel Engine to give an out-put of 10,000 gallons per hour for a total head of 50', machine and pump directly coupled and mounted on suitable trolley.             | One                     |

- N.B.—1. The quotations with firm prices will be preferred.  
2. Sales-tax, if any, should be quoted separately.  
3. The quotations will be opened at 2 P.M. on the next working day after the closing date.

1753 b

Dated 26th May 1954.

To

The Firms dealing in Machinery.

Enquiry No. 12421.

Subject.—Materials required for erection of Mortar Mills.

Gentlemen,

No. S.P.C. 10552-91. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of three per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Materials required for erection of Mortar Mills" with the above enquiry number.

This enquiry will be closed on the 19th June 1954.

#### SCHEDULE.

T. O. B. Tarikere Railway Station.

- |    |   |                      |
|----|---|----------------------|
| 1. | 3" Bright steel polished shafting with 1" wide x 3/8" deep key way throughout in lengths of 12'.                                      | 216 Rft.             |
| 2. | Flexi-couplings for above 3" shafting with key way preferably of silent block 100 H type.   | 15 Nos.              |
| 3. | Coper split roller bearings for 3" shaft Medium series with housing complete preferably locating type.                                | 10 Nos.              |
| 4. | Plummer blocks heavy duty with cast iron base at least 33 lbs. and G. M. bearings to be at least 14 lbs. in weight for 3" size shaft. | 40 Nos.              |
| 5. | 100 Ampered Triple Pole iron clad switches with porcelain cutouts etc.  | 4 Nos.               |
| 6. | No. 2 B & S Wire insulated for Electrical connections to motors 600 Volts grade.  | 6 coils of 200 each. |
| 7. | No. 2 B & S. insulated copper wire 230 volts grade.   | 6 coils of 300 each. |
| 8. | Bright steel collars for 3" shafting.   | 34 Nos.              |
- N.B.—1. The quotations with firm prices will be preferred.  
2. Sales Tax, if any, should be quoted separately.  
3. The quotations will be opened at 2 P.M. on the next working day after the closing date.

1753

Dated 26th May 1954.

To

The Firms dealing in D. P. C. Copper Wires.

Enquiry No. 12422.

Subject.—Supply of Double Paper Covered Electrolytic copper wires to the Government Electric Factory, Bangalore.

Gentlemen,

No. S.P.C. 10386-915. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Supply of double paper covered Electrolytic copper Wires to the Government Electric Factory, Bangalore", with the above enquiry number.

This enquiry will be closed on the 10th June 1954.

#### SCHEDULE.

Quantity

- |    |  |            |
|----|--|------------|
| 1. | Double paper covered Electrolytic Copper Wire, Best English U. S. A., Japan, German or other equivalent make 27 SWG. | 15,000 lbs |
|----|--|------------|
- N.B.—1. Quotations should be submitted in duplicate.  
2. No extension of time will be granted for submitting quotations.  
3. Samples should be sent along with the quotations, without which quotations will not be considered.  
4. Insulation thickness 8 mils—packing in continuous lengths of 10-15 lbs.  
5. Quotations with firm prices and for delivery T.O.B. Bangalore are preferred.  
6. Sales-tax if any should be paid should be stated in the quotation.  
7. Quotations will be opened at 2 P.M. on the next working day after the closing date.

1697 (b)

Dated 22nd May 1954.

To

The General Manager,  
Mysore Iron & Steel Works,  
Bhadravati.

Rate Contract—S. P. O. Local Indent No. 12050 for the supply of C. I. Pipes and Specials during the year 1953-54—Currency of the contract extended up to 15th May 1954 in S. P. C. letter No. 3099 dated 19th April 1954.

Sir,

No. S. P. C. 10202. In continuation of this office letter No. cited above, I write to inform you that the currency of the above rate contract is further extended up to end of 31st May 1954. You may continue to supply the items detailed in the original rate contract if any required by the

Departments under the said contract, till the end of May 1954 or till the date of the new contract takes effect whichever is earlier. The receipt of this letter may kindly be acknowledged.

1658

Dated 27th May 1954.

To

The firms dealing in X-Ray materials.

Enquiry No. 12427.

Subject.—X-Ray Equipment for Krishnarajendra Hospital, Mysore.

Gentlemen,

No. S.P.C. 11298-310. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for X-Ray Equipment for Krishnarajendra Hospital" with the above enquiry number.

This enquiry will be closed on the 18th June 1954.

## SCHEDULE.

- | 1.      | 500 M.A. Diagnostic Apparatus (X-ray) with accessories complete.                    | Price quoted F.O.R. Mysore | Time of delivery Immediate |
|---------|---|----------------------------|----------------------------|
| N.B.—1. | Quotations with firm prices will be preferred.                                      |                            |                            |
| 2.      | Sales-tax, if any, should be quoted separately.                                     |                            |                            |
| 3.      | Quotations may be submitted in duplicate.   |                            |                            |
| 4.      | Quotations will be opened at 2 P.M. on the next working day after the closing date. |                            |                            |

1751

Dated 29th May 1954.

To

The Firms dealing in Machinery.

Enquiry No. 12428.

Subject:—Hydraulic discs required for K.R.S.

Gentlemen,

No. S.P.C. 11218. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions.

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Hydraulic Discs required for K.R.S." with the above enquiry number.

This enquiry will be closed on the 28th June 1954.

## SCHEDULE.

- | Item No. | Description of material offered                                      | Quantity                             | Price quoted F.O.R. Belagula | Time of delivery |
|----------|--|--------------------------------------|------------------------------|------------------|
| 1        | Hydraulic Discs 13½" dia., 1 1/8" thick with 2½" hole in the centre. | Three sets, each set containing two. |                              |                  |
| 2        | Hydraulic Discs 8½" dia., 5/8" thick with 2½" hole in the centre.    | Three in Number                      |                              |                  |
| 3        | Hydraulic Discs 8½" dia., 3/8" thick and 1-3/16" hole in the centre. | Three in Number                      |                              |                  |

- N.B.—1. Quotations with firm prices will be preferred.  
2. Sales-Tax should be quoted separately.

3. No enhancement of prices will be allowed after the acceptance of tender.
4. Quotations may be sent in duplicate.
5. Whether your firm has been registered in the S.P.C. Office as per new rules, may be mentioned.
6. The prices quoted should hold good for a period of 3 months from the date of opening the tenders, failing which such quotations will not be considered.
7. Quotations will be opened at 2-03 P.M. on the next working day after the closing date of the Enquiry.

1754

Dated 29th May 1954.

To

The firms dealing in Cash Registering Machines.

Enquiry No. 12430.

Subject:—National Cash Register for Water Supply Division, Bangalore.

Gentlemen,

No. S.P.C. 11278-97. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions.

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for the supply of National Cash Register for Water Supply Division, Bangalore" with the above enquiry number.

This enquiry will be closed on the 24th June 1954.

## SCHEDULE.

- | 1       | National Cash Register Machine model 963(a) E Factory, rebuilt registering capacity Rs. 9,999-15-11, with numbering device, six classification totals and one grand total with universal motor. | Quantity 1 | Price quoted F.O.R. Bangalore | Time of delivery Immediately |
|---------|---|------------|-------------------------------|------------------------------|
| N.B.—1. | Quotations with firm prices are preferred.  |            |                               |                              |
| 2.      | Sales-tax, if any, should be quoted separately.   |            |                               |                              |
| 3.      | Quotations may be sent in duplicate.  |            |                               |                              |
| 4.      | No enhancement in prices will be allowed after the acceptance of the tender.  |            |                               |                              |
| 5.      | Quotations will be opened at 2 P.M. on the next working day after the closing date.   |            |                               |                              |

- 1754 a
- Dated 28th May 1954.
- To
- The Firms dealing in Radio and Electrical Materials.
- Enquiry No. 12434.
- Subject:—Supply of Talking Equipments required to N.E.S. Blocks.

1754 a

Dated 28th May 1954.

To

The Firms dealing in Radio and Electrical Materials.

Enquiry No. 12434.

Subject:—Supply of Talking Equipments required to N.E.S. Blocks.

Gentlemen,

No. S.P.C. 11385-405. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions.

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Talking Equipment to N.E.S. Blocks" with the above enquiry number.

This enquiry will be closed on the 19th June 1954.

## SCHEDULE.

| Quantity   | Price quoted<br>F.O.B. | Time of<br>delivery      |
|--|------------------------|--------------------------|
| 1. Amplifier 25 watts, suitable for operation on 220 volts, 50 cy. and 6 watts battery with one mike with one phone channel. | 7 sets (Seven)         | Any station in the State |
| 2. One Number Unit with horn.  |                        |                          |
| 3. One Mike suitable for above.  |                        |                          |
| 4. One six watts battery for above.  |                        |                          |

N.B.—1. Quotations with firm prices are preferred.  
2. Sales-Tax, if any, should be quoted separately.  
3. Quotations may be sent in duplicate.  
4. Quotations will be opened at 2 P.M. on the next working day after the closing date.

1752-a

Dated 23th May 1954.

To

The firms dealing in Woollen Goods.

Enquiry No. 12435.

Subject:—Green Baize for 1954-55 to the Government Stationery Depot, Bangalore.

Gentlemen,

No. S.P.C. 11581-600. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Green Baize for 1954-55 to the Government Stationery Depot, Bangalore" with the above enquiry number.

This enquiry will be closed on the 18th June 1954.

## SCHEDULE.

| Quantity                           | Price quoted<br>F.O.R.<br>Bangalore. | Time of<br>delivery<br>Urgent |
|------------------------------------|--------------------------------------|-------------------------------|
| 1. Green Baize—Superior, 54" width | 500 yards.                           |                               |

N.B.—1. Samples should necessarily accompany the quotations. Other wise the quotations are liable to be rejected.  
2. Quotations with firm prices and from ready stocks will be preferred.  
3. Sales-tax if any should be quoted separately.  
4. Quotations may be submitted in duplicate.  
5. No enhancement in price after the acceptance of tender will be allowed.  
6. Quotations will be opened at 2 P.M. on the next working day after the closing date.

175 (a)

Dated 29th May 1954.

To

The firms dealing in Cotton Cloth.

Enquiry No. 12436.

Subject:—Long Cloth for 1954-55 to the Government Stationery Depot, Bangalore.

Gentlemen,

No. S.P.C. 11565-80. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Long Cloth for 1954-55 to the Government Stationery Depot Bangalore", with the above enquiry number.

This enquiry will be closed on the 18th June 1954.

## SCHEDULE.

| Quantity   | Price quoted<br>F.O.R.<br>Bangalore. | Time of<br>delivery<br>Urgent. |
|--|--------------------------------------|--------------------------------|
| 1. White Long Cloth—Bleached or unbleached 6,000 yards |                                      |                                |

N.B.—1. Samples should necessarily accompany the quotations. Other wise the quotations are liable to be rejected.  
2. Quotations with firm prices are preferred.  
3. Sales-tax, if any, should be quoted separately.  
4. Quotations may be sent in duplicate.  
5. Quotations will be opened at 2 P.M. on the next working day after the closing date.

1752

Dated 23th May 1954.

To

The firms dealing in Inks and Stationery Articles.

Enquiry No. 12437.

Subject:—Inks for 1954-55 to the Government Stationery Depot, Bangalore.

Gentlemen,

No. S.P.C. 11544-64. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Inks for 1954-55 to the Government Stationery Depot, Bangalore" with the above enquiry number.

This enquiry will be closed on the 19th June 1954.

## SCHEDULE.

| Item No. | Description of material offered.  | Quantity    | Price quoted<br>F.O.R.<br>Bangalore | Time of<br>delivery<br>Urgent |
|----------|---|-------------|-------------------------------------|-------------------------------|
| 1.       | Blue Black Ink Powder—Good quality in packs of 6 small packets, each small packet being capable of producing 12 ozs. of superior ink. | 1,200 Packs | ...                                 | ...                           |
| 2.       | Red Ink Powder  | 400 Packs   | ...                                 | ...                           |
| 3.       | Blue Black Ink Jars of superior quality—24 ozs. each.   | 600 Jars    | ...                                 | ...                           |

N.B.—1. Samples should necessarily accompany the quotations, other wise, the quotations are liable to be rejected.  
2. Quotations with firm prices will be preferred.  
3. Sales-tax should be quoted separately.  
4. No enhancement of prices will be allowed after the acceptance of the tender.  
5. Quotations may be sent in duplicate.  
6. Whether your firm has been registered in the S.P.C. Office as per new rules, may be mentioned.  
7. The price quoted should hold good for a period of 3 months from the date of opening the tenders, failing which, such quotations will not be considered.  
8. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

1751-b

## NOTICE.

Dated 28th May 1954.

Enquiry No. 12235.

Subject:—Motor Generator Sets to the B.D.T. College of Engineering, Davangere.

No. S.P.C. 11457-77. It is hereby informed for information of the intending tenderers that the closing date of the above enquiry is extended from 3rd June 1954 to 25th June 1954.

1752

Dated 31st May 1954.

To

All the Indenting Officers.

Subject:—Clearing correspondence.

Sir,

No. S.P.C. 11652-800. I write to enclose herewith a Customs Public Notice No. ROR. 964—54 AP. dated 9th April 1954 and Circular dated 10th April 1954, received



through our Clearing Agents, M/s Best & Co., Ltd., Madras, and to request to see that the required documents are sent to the clearing Agents along with the shipping documents.

I. P. MALLAPPA,  
Secy., S.P.C.

#### PUBLIC NOTICE

**Subject.**—Assessment of Bills of Entry—Production of Documents.

It has been observed that delays in clearance of goods are sometimes due to lack of co-operation on the part of the importers or their agents with a view to eliminate avoidable delay in the clearance of goods through the Customs, it is notified for the information of the trade that importers should in their own interest produce all documents such as invoices, specifications, literature, catalogue, etc., at the time of presentation of Bills of Entry in the Appraising Department for assessment. This would facilitate speedy assessment and clearance of goods from the Custom House.

ROR No. 964/54 Ap  
Custom House, Madras  
Dated 9th April 1954.

O. KRISHNAN,  
Collector of Customs, Madras.

#### CIRCULAR

**Subject.**—Verification of date of shipments.

Since it is necessary to verify the date of shipment in respect of consignments shipped on or about the expiry period of the licence, all importers and clearing agents are advised to put up the Bill of Lading at the time of presentation of the Bill of Entry to the Appraiser, to ensure speedy disposal of the bill of Entry.

Custom House, Madras  
Dated 10th April 1954.  
1803

A. K. Bandyopadhyay,  
Assistant Collector of Customs.

Dated 31st May 1954.

#### NOTICE.

**Enquiry No. 12393.**

**No. S.P.C. 11844-70.** Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Offset, Photo and Litho materials required for the Government Press, Bangalore, during the year 1954-55.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 15 only which is the price fixed for a set of forms and which is not refundable.

Cheques, postage stamps and postal orders will not be accepted towards the cost of forms, nor will the forms be sent by V.P.P.

The last day for submission of tenders is 24th June 1954.  
1804b

Dated 31st May 1954.

#### NOTICE.

**Enquiry No. 12412.**

**No. S.P.C. 11871-900.** Sealed tenders will be received by the Secretary, Stores purchase Committee, for the supply of Press Miscellaneous articles required for the Government Presses during the year 1954-55.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 15 only which is the price fixed for a set of forms and which is not refundable.

Cheques, Postage stamps and postal orders will not be accepted towards the cost of forms, nor will the forms be sent by V.P.P.

The last day for submission of tenders is 22nd June 1954.  
1804a

To

Dated 31st May 1954.

The Firms dealing in Hardware Materials.

**Enquiry No. 12423.**

**Subject.**—Bolts and Nuts.

Gentlemen,

**No. S.P.C. 10855-85.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Bolts and Nuts" with the enquiry number.

This enquiry will be closed on the 15th June 1954.

#### SCHEDULE.

| Item No. | Description of material offered  | Quantity | Price quoted F.O.R. Bangalore. | Time of delivery. |
|----------|--|----------|--------------------------------|-------------------|
| 1.       | M. S. Black Hex. head Bolts of specification noted below :—<br>M. S. Black Hex. head Bolts<br>Round Neck and Ex. Nuts with B.S.W. Threads to B.S. 915-16 and to ISD Specification G—MESC—36—C in all respects made from tested steel to I.R.S. M-5 Class 11 having a tensile strength of 23-33 tons per square inch 1 1/4" x 5/8" dia. Bolts and Nuts. | 10 Cwts. | ...                            | ...               |

- N.B.—
1. Sample of material offered should accompany your quotation.
  2. Quotations with firm prices will be preferred.
  3. Sales Tax should be quoted separately.
  4. No enhancement of prices will be allowed after the acceptance of the tender.
  5. Quotations may be sent in duplicate.
  6. Whether your firm has been registered in the S.P.C. Office as per new rules, may be mentioned.
  7. The price quoted should hold good for a period of 8 months from the date of opening the tenders, failing which such quotations will not be considered.
  8. Quotations will be opened at 2 P.M. on the next working day after the closing date of the Enquiry.

1755a

Dated 29th May 1954.

To

The firms dealing in Sluice Valves.

**Enquiry No. 12429.**

**Subject.**—Tail pieces required for Davangere Division.

Gentlemen,

**No. S.P.C. 11248-77.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Tail pieces required for Davangere Division" with the above enquiry number.

This enquiry will be closed on the 24th June 1954.

## SCHEDULE.

- |  | Quantity |
|--|----------|
| 1. Tail pieces, each set consisting of one tail piece with flange and socket, and one with flange and without socket:— |          |
| (a) 3" Dia Size  | 12 Sets. |
| (b) 4"   | 1        |
| (c) 5"   | 1        |
| (d) 6"   | 9        |
| (e) 8"   | 9        |
| (f) 12"  | 2        |
- N.B.—1. Quotations with firm prices and from ready stocks will be preferred.  
 2. Prices may be quoted for delivery F.O.R. Davangere.  
 3. Sales tax, if any, should be quoted separately.  
 4. Quotations may be submitted in duplicate.  
 5. No enhancement in prices after the acceptance of tender will be allowed.  
 6. Quotations will be opened at 2 P.M. on the next working day after the closing date.

1744b

Dated 23rd May 1954.

To

The Firms dealing in Pumpsets.

Enquiry No. 12431.

Subject—Re:—5 H. P. Diesel Oil Engine Pumpsets required for the Thunga Ancient Division.

Gentlemen,

No. S.P.C. 11421-50 Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for the supply of 5 H. P. Diesel Oil Engine pumpsets for the Thunga Ancient Division" with the above enquiry number. This enquiry will be closed on the 17th June 1954.

## SCHEDULE.

- |  | Quantity |
|--|----------|
| 1. 5 H. P. Pumpset comprising a 3" x 2.1/2" ball bearing centrifugal pump directly coupled on a common base plate by means of special type flexible coupling to a single cylinder, vertical four strokes, cold starting compression ignition, water cooled, high speed diesel oil engine developing 5 B. H. P. at 1500 R.P.M. under N.T.C. conditions, with one 8" dia. C.I. Screwed foot valve and complete with water cooling accessories. | Three    |
- N.B.—1. The pump should be capable of delivering 210 G.P.M. against a head of 40 ft. due to all causes.  
 2. The time of delivery should be specified.  
 3. Prices may be quoted for delivery L.O. R. Shimoga.  
 4. Quotations may be submitted in duplicate.  
 5. Quotations with firm prices will be referred.  
 6. No enhancement in price after the acceptance of tender will be allowed.  
 7. Quotations will be opened at 2 P.M. on the next working day after the closing date.

1755

Dated 3rd May 1954.

To

- (1) Messrs. Central Scientific Supplies Co., Ltd., Sri Narasimharaja Road, Bangalore-2.  
 (2) Clifton & Co., Hitkari Building No. 1, Original Road, Karol Bagh, New Delhi-5.

Local Indent No. 14397.

Your quotation received in response to our Enquiry No. 11514 for the supply of Physiological Charts required during 1964-55.

Gentlemen,

No. S.P.C. 6289-90. I write to state that the Stores Purchase Committee have accepted your quotation in respect of the Physiological Charts described in the undermentioned schedule. I accordingly request you to enter order

for the same and arrange to make supplies on indents from the officers of the department of Public Instruction in such numbers as may be required by them from time to time.

This order will be subject to the following conditions:—

The Stores Purchase Committee do not guarantee the purchase of any definite number of charts. Supplies will be required to be made only if and when the Department indents for them.

2. All indents should be complied with within a fortnight from the date of their receipt.

3. This contract will be in force till the end of March 1955 and the prices accepted herein should hold good during the contract period. No application for any enhancement of rates during the period of the contract due to any reason whatsoever will be considered.

4. The charts to be supplied should be of good quality guaranteed to be of sound manufacture. Such of those as are found to be defective or becomes unserviceable under normal use during the year will have to be replaced by sound ones free of cost to us.

5. The charts to be supplied should be stamped with letters "Director of Public Instruction" without extra cost.

6. In the case of default to execute the order satisfactorily and in time, the Stores Purchase Committee reserve the right to cancel the order and to purchase the requirements from other sources debiting you with the extra cost, if any, incurred thereby, in addition to the levy of a penalty of three per cent (3 per cent) of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

7. You should now arrange to enter into an agreement with the undersigned on a Mysore Government Ten-Anna Stamp paper undertaking to abide by the conditions of this order within a week from this date, failing which the order will be cancelled.

8. You should also send monthly statements in the Proforma 'A' and 'B' printed below.

9. The bill of cost, in triplicate, should be sent direct to the consignee for arranging payment.

Please acknowledge receipt of this order per return.

Local Indent No. 14397.

Schedule of order placed with M/s. Central Scientific Supplies Co., Ltd., Sri Narasimharaja Road, Bangalore-2.

1. A.L. Physiological charts, Set of 8, mounted on cloth with rollers and varnished size 40" x 30" in English (as per sample approved.) at Rs. 40 per set F.O.R. Any railway Station in the State, Sales Tax extra.

Local Indent No. 14397.

Schedule of order placed with M/s. Clifton & Co., Hitkari Building No. 1, Original Road, Karol Bagh New Delhi-5.

1. Physiological charts printed in Great Britain, Set of 8, size 40" x 30", mounted on cloth roller and varnished (Publishers: M/s. Arnold & Sons Ltd., Leeds, Glasgow.) at Rs. 40 per set F.O.R. Destinations.

Memo No. S.P.C. 6291-340, Dated 3rd May 1954.

Copy to:—

1. The Director of Public Instruction in Mysore, Bangalore.
2. The Deputy Director of Public Instruction for High Schools, Bangalore.
3. The Deputy Director of Public Instruction for Middle Schools, Bangalore.
4. The Deputy Director of Public Instruction for Primary Schools, Bangalore.
5. The District Educational Officers of the State.
6. The Accountant General, Mysore, Bangalore.

Note:—The indenting officers are requested to send information as contained in the Pro forma No. 'C' printed below.

## FORM "C"

Local Indent No.....

Statement for the month of.....

From the Indenting Officers.....

| Serial Number | Indenting officer with designation | Nature of article | Quantity ordered and rate. | Quantity received with date and rate | Remarks |
|---------------|------------------------------------|-------------------|----------------------------|--------------------------------------|---------|
| 1             | 2                                  | 3                 | 4                          | 5                                    | 6       |

Statement in the form A and B to be submitted by the firms only.

## FORM "A"

1 Local Indent No. ....

Statement for the month of .....

| Serial Number | Indenting Officer with designation | Nature of article | Quantity ordered and value. | Quantity supplied date and value. | Total quantity delivered during the month. | Remarks |
|---------------|------------------------------------|-------------------|-----------------------------|-----------------------------------|--|---------|
| 1             | 2                                  | 3                 | 4                           | 5                                 | 6  | 7       |

## FORM "B"

Local Indent No.....

Statement for the month of .....

| Serial Number | Total value of order received | Total value of supplies made in the month | Total quantity and value of order received from the commencement of rate contract | Total quantity and value of order supplied from the commencement of the contract. |
|---------------|-------------------------------|---|---|---|
| 1             | 2                             | 3   | 4   | 5   |

## ENGINEERING DEPARTMENT

VIDHANA SODHA DIVISION, BANGALORE.

Notification dated.....1954.

Sealed tenders in duplicate duly signed by the intending contractors will be received in the Office of the Special Engineer, Vidhana Soudha Division, Old Residency Compound, Bangalore-1, up to 4 P.M. on Monday the 28th June 1954, for the work mentioned below.

"Supplying the required sizes of stones from Hessarghatta quarry for the Verandah pillars of the 1st and 2nd Floors of Vidhana Soudha, dressing the same according to design and specification and erecting them at spot with the necessary steel Dowel Joints with lead", 2'x2½'x2½' including base and capital as per design.

"The Stone should be of selected variety from the Hessarghatta quarry free from quartz veins and cracks and fissures of any kind. The total number of pillars required is approximately one hundred (100), and the entire work has to be completed in a period of 4 months from the date of order, the work up to the 1st floor roof level viz +147'00 being completed within the first 3 months from the date of order."

2 Rates should be quoted for completion of each pillar as per design and specifications in all respects: Two separate rates may be quoted one for pulmanefinish and another for three-line finish.

(i) Collections of stones of required sizes from Hessarghatta quarry. Stones should be free from fissures quartz and Mica veins and of approved colour and quality.

(ii) Dressing the Stones to the required shape and size and 3 line dressing to the exposed faces or pulmanefinish, and one line dressing to the top and bottom of each stone; and

(iii) Erecting the stones at spot and placing them in position true to line and level including fixing the different blocks with the necessary steel Dowel joints with lead as per design.

3 For non-tendered items of work if any, the rates will be as per the current minimum schedule of rates of Vidhana Soudha Division, Bangalore, for schedule items, and for non-schedule items suitable rates based on data and arrived at as per the minimum schedule of rates of Vidhana Soudha Division will be paid.

4 No conditional clause will be accepted.

5 Each tender should be accompanied by a chellan for having deposited an earnest money of Rs. 5,000 under Revenue Deposits. Chellan has to be countersigned by the Special Engineer, Vidhana Soudha Division, before presenting the same to the Reserve Bank for remittance.

6 A copy of the design and specifications for the Pillar could be obtained from the office of the Special Engineer, Vidhana Soudha Division on all working days between 11 A.M. and 5 P.M. on payment of Rs. 3 per set.

7 Only quotations in the prescribed printed forms will be accepted, these can be had from the Vidhana Soudha Division Office on payment of Rs. 0-4-0 per set.

8 The final acceptance or disposal in any manner the tenders in full or in part will vest with the Chief Engineer of Mysore, Bangalore who is not bound to accept the lowest or assign any reason thereof.

9 The successful tenderer shall bind himself to abide by the Departmental rules and specifications in force and shall execute the necessary agreement within 7 days from the date of intimation of acceptance of his tender, failing which his tender will be cancelled, unconditionally and his earnest money forfeited to Government.

10 After entrusting the work to the successful tenderer the chellans enclosed by the other tenderers will be returned to them endorsed for refund which can be had from the Reserve Bank where the amount will have been deposited.

11 Reserve and earnest money deposits of the successful tenderer will be repaid only after the settlement of the final bill.

12 Tendered contractors will have to pay compensation as per the Workman's Compensation Act to workmen employed by them on this work, who are injured, disabled

I. P. MALLAPPA,  
Secretary, S.P.C.

or killed in or during the execution of work, failing which, the amount will be deducted from the bill due to the Contractors for payment, and the same paid to the injured or deceased or to their legal heirs.

13 The quantity of work specified above is approximate and liable for alteration. No extra claims will be entertained for such alterations.

14 The work should not be sublet to others.

15 For all disputes arising in respect of this work regarding, rate, quantity, design, execution, etc., the decision of the Chief Engineer of Mysore, Bangalore, is final and binding.

16 The successful tenderer should bind himself responsible for the good behaviour of his agents and employees employed on the work.

17 Income Tax Clearance Certificate granted by the Income Tax Department should accompany the tenderer.

M. MUNIAPPA,  
Special Engineer.

1812

#### MISCELLANEOUS DEPARTMENTS

#### OFFICE OF THE SUPERINTENDENT, GOVERNMENT GARDENS IN MYSORE, LALBAGH, BANGALORE.

Notification dated 24th May 1954.

Notice is hereby given that sealed tenders will be received up to 4 P.M. on Monday the 7th June 1954 by the Superintendent, Government Gardens, Lalbagh, Bangalore, for leasing out the maidan (vacant land) measuring about 8 Acres by the southern side of the Nagarkhana, Dar-i-Dowlat Bagh, Srirangapatna for dry cultivation for a period of three years from 1st June 1954 to 31st May 1957.

Detailed terms of tender already notified in the notification dated 6th May 1954 hold good. Intending tenderers may obtain printed copies of tender conditions from the Office of the Assistant Superintendent, Government Parks and Gardens, Mysore and Mandya.

M. H. MARIGOWDA,  
Superintendent.

1539

#### OFFICE OF THE ASSISTANT DIRECTOR OF AGRICULTURE, TUMKUR CIRCLE, TUMKUR.

Notification dated 13th May 1954.

It is hereby notified for the information of the public that the following articles are available for disposal, at the S. K. V. D. Patasala, Chikkanahalli, (Sira taluk) and will be disposed off in public auction on 6th June 1954.

|                             |     |     |         |
|-----------------------------|-----|-----|---------|
| H22 Ragi                    | ... | 145 | seers.  |
| Mixture and Hullokala paddy | ... | 22  | pallas. |
| S. 705 paddy                | ... | 8   | pallas. |
| Thogari                     | ... | 360 | seers.  |
| Jaggery                     | ... | 150 | maunds. |

The sale is subject to the following conditions:

1. The articles may be inspected at any time during the working hours of the Farm.

2. Each intending bidder, should deposit in respect of jaggery and paddy an earnest money of Rs. 100 for each, before the commencement of auction. In respect of Thogari, earnest deposit of Rs. 25 has to be paid.

3. The earnest money of the unsuccessful bidders will be refunded after the close of the auction.

4. The successful bidder should take delivery of the articles within 7 days from the date of communication of approval.

5. The sale will be conducted at the premises of the Sala, on 6th June 1954, commencing at 12 NOON by the Assistant Director of Agriculture, Tumkur or any other person duly authorised by him in this behalf.

6. The sale is subject to the confirmation by the Deputy Director of Agriculture, Bangalore.

7. In the event of the successful bidder not removing the stocks within one week from the date of communication of approval, the earnest money deposited by him will be forfeited to Government.

8. In all matters not specifically provided for, the decision of the Deputy Director of Agriculture is final and legally binding.

1541

C. GOPALAKRISHNA,  
Assistant Director of Agriculture.

#### OFFICE OF THE PRESIDENT, GOVERNMENT ADIKARNATAKA FREE BOARDING HOME FOR HIGH SCHOOL BOYS, CHITALDROOG.

Notification No. 1-54-55.

Sealed tenders are invited from the Merchants of Chitaldroog District for undertaking the supply of provision and other things to the above Boarding Home for the year 1954-55.

Conditions for the tenders are noted below.

1. Applications for tenders should be forwarded to this office in a sealed cover and full description of things of supply should be in the application form and it should be signed by the Supplier. The rates should not be more than the prevailing market rates. The quality of the provision and other things will be considered.

2. The cover containing the application should be addressed to the warden of the Boarding Home and should be sent in a sealed cover.

3. Tenders cover should be sent so as to reach this office on or before 4th June 1954. Belated tenders will not be considered.

4. The successful tenderer will be notified in the Notice Board of the above Home. He should deposit an earnest money of Rs. 100 as security and execute an agreement on stamped paper for required amount in full abiding by the above condition.

5. The successful tenderer should make his own arrangement for the safe delivery of the things and provisions to the Boarding Home regularly and also within one week from the receipt of the acceptance letter from this office.

6. Any breach of the conditions will result in forfeiture of the earnest money besides cancellation of the contract.

7. The articles of provision will have to be supplied at the rates quoted by him to the end of March 1955 or till the date of closing the Boarding Home for summer vacation.

8. Provisions are to be issued on the daily strength of the Boarders.

9. The strength of the Boarding Home is 50.

10. The amount sanctioned for per Boarder per mensem is Rs. 10.

11. Other necessary things will be intimated at the time of necessity.

12. The charges of cleaning, grinding and supplying the provisions are also included in the sanctioned amount.

Notification No. 2-54-55.

Applications are invited by the undersigned for admission to the Boarding Home from High School students of Adikarnataka and Adidraida till one week after the reopening of High Schools.

A. B. NAIK,  
President.

1785

#### OFFICE OF THE SUPERINTENDENT AND HEAD MASTER, GOVERNMENT JUNIOR CERTIFIED SCHOOL, BELLARY.

Notice.

Notice is hereby given that the Superintendent and Head Master, Government Junior Certified School, Bellary, will receive sealed tenders on half foolscap size paper at 11 A.M. on 25th June 1954, of the articles mentioned below.

|                         |     |     |      |
|-------------------------|-----|-----|------|
| Empty Gunnies           | ... | 150 | Nos. |
| Empty Gingelly oil tins | ... | 112 | Nos. |

1. The tenders will be received in the premises of the Junior Certified School, Bellary by the Head Master in his office. The tenderer should quote the rate for each article, (e.g., Empty gunny rate Rs. .... each. Empty tin rate Rs. .... each).

2. They should deposit an earnest money of Rs. 20 for articles stated above.



3 No earnest money or tender will be received after the time fixed.

4 The tenderers may inspect the articles at the school premises between 9 A.M. and 1 P.M. on working days.

5 The articles will be delivered to successful tenderer only after the approval of the Inspector-General of Prisons in Mysore, Bangalore as otherwise earnest money deposit will be refunded.

6 The Inspector-General of Prisons, in Mysore, Bangalore reserves the right to accept tender in whole or in part.

7 Earnest money will be forfeited in case the successful tenderer fails to remit the sale proceeds and remove the articles within a period of seven days from the date of receipt of intimation of acceptance; the articles will be re-auctioned at his risk.

8 Further information on any point concerning this notification can be had from the Superintendent and Head Master, Junior Certified School, Bellary.

C. DORAISWAMY,  
Superintendent and Head Master.

1750

#### PRIVATE ADVERTISEMENT.

#### THE BANK OF MYSORE, LTD., BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 21st May 1954, published under Article 141 of the Articles of Association:—

| LIABILITIES.                                      | Rs.          | ASSETS.                                      | Rs.          |
|---|--------------|--|--------------|
| To Capital Receipts ...                           | 50,00,000    | By Cash in hand and at Bankers ...           | 80,78,276    |
| " Reserve Fund ...                                | 84,00,000    | " Loans and Cash Credit Accounts ...         | 6,85,61,565  |
| " Public and other Deposits ...                   | 10,49,60,992 | " Bills Discounted and Purchased ...         | 95,93,164    |
| " Sundries ...                                    | 16,92,209    | " Investments ...                            | 2,94,81,815  |
| " Bills for Collection ( <i>per contra</i> ). ... | 55,69,180    | " Balance at Agencies ...                    | ...          |
|   |              | " Dead Stock ...                             | 27,53,905    |
|   |              | " Sundries ...                               | 15,85,476    |
|   |              | " Bills Receivable ( <i>per contra</i> ) ... | 55,69,180    |
| (Annas and Pies omitted) Total ...                | 12,56,12,381 | Total ...                                    | 12,56,12,381 |

BANGALORE,  
Dated 26th May 1954. }

B. V. NARAYANA REDDY,  
Manager.

#### THE BANK OF MYSORE, LTD., BANGALORE.

#### NOTICE.

Notice is hereby given that duplicate share certificates will be issued of certificates Nos. A8931 and A1639 standing in the name of Sri L. Papiiah comprising shares Nos. 45598-45599 and 7637 by the Bank in exercise of the powers conferred on them by Section 19 of the Articles of Association and therefore the old certificates Nos. A8931 and A1639 now stand cancelled.

Dated 20th May 1954.

For THE BANK OF MYSORE, LTD.,

B. V. NARAYANA REDDY,  
General Manager.

292

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

225

V. NAGALINGAM, B.A., LL.B.

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

233

H. CHANNAPPA.

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

254

KOTTU MRUTYUNJAYA RAO, LL.B.

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

277

M. VENKATA REDDY, B.A., LL.B.

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

325

K. SURYANARAYANA REDDY, B.A., LL.B.

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

324

D. V. SIDDALINGIAH, B.Sc. (Hons.), B.L.

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

303

O. V. RANGA RAO.

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

302

S. OBULAPATHY, B.A., B.L.

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

312

Y. JANAKIRAMIAH, B.L.

"I intend moving the High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

313

J. NATARAJAN.